

Техническое описание продукта L 58 W/940

LUMILUX DE LUXE T8 | Трубчатые люминесцентные лампы трубчатой формы диаметром **26**мм с цоколем **G13**







Техническое описание продукта

Technical data

Электрические параметры

ZLDV_Nominal current [AGGR]	0.67 A A
-----------------------------	----------

Фотометрические данные

ZLDV_Light color (designation) [AGGR]	LUMILUX DE LUXE Cool White
ZLDV_Rated LLMF at 2,000 h [AGGR]	0.96
ZLDV_Rated LLMF at 4,000 h [AGGR]	0.94
ZLDV_Rated LLMF at 6,000 h [AGGR]	0.93
ZLDV_Rated LLMF at 8,000 h [AGGR]	0.91
ZLDV_Rated LLMF at 12,000 h [AGGR]	0.91
ZLDV_Rated LLMF at 16,000 h [AGGR]	0.9
ZLDV_Rated LLMF at 20,000 h [AGGR]	0.89
ZLDV_Luminous flux [AGGR]	4600 lm

Размеры и вес



ZLDV_Tube diameter [AGGR]	26 mm
ZLDV_Length with base excl. base pins/connection [AGGR]	1500 mm
ZLDV_Product weight [AGGR]	207.00 g
ZLDV_Overall length [AGGR]	1514.20 mm

Срок службы

ZLDV_Service life [AGGR]	16000 h
--------------------------	---------

Дополнительные данные

ZLDV_Mercury content [AGGR]	3.0 mg
Утилизация по WEEE	Да

Техническое описание продукта


Сертификаты и Стандарты

ZLDV_Energy efficiency class [AGGR]	G
ZLDV_Energy consumption [AGGR]	61.00 kWh/1000h

Environmental information


Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)	
Date of Declaration	18-04-2022
Primary Article Identifier	4050300011356
Declaration No. in SCIP database	In work

Распределение силы света



FL_940

Техническое описание продукта



DUO CIRCUIT

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Ссылки

Более подробную информацию по электронному ПРА QUICKTRONIC см. на странице

www.osram.com/QUICKTRONIC

Примечание

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH Marcel-Breuer-Strasse 6 80807 Munich, Germany