


LUXeye Sense CM KIT

LUXeye Sense CM KIT | Системы управления освещением



Характеристики продукта

- Переходник для потолочного монтажа


Области применения

- Офисы
- Конференц-залы
- Учебные помещения
- Коридоры

Техническое описание продукта

Technical data

Размеры и вес



Диаметр	95,0 mm
Высота	50,0 mm
Вес продукта	50,00 g

Цвета и материалы

Цвет продукта	Белый
---------------	-------

Возможности / мощности

Способ монтажа	Монтаж/к потолку
----------------	------------------

Условия поставки

Код заказа	39269097900
------------	-------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	19-05-2023
Primary Article Identifier	4052899988729
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	No declarable substances contained

Загрузка данных

Файл	
	User instruction UI LUXeye Sense CM KIT

Техническое описание продукта

	CAD data Luxeye Sense CM KIT STEP 111119
	CAD data Luxeye Sense CM KIT IGS 111119
	CAD Data 2-dim Luxeye Sense CM KIT CAD2PDF 111119
	CAD data 3-dim Luxeye Sense CM KIT CAD 3PDF 111119

Данные для заказа

Product code	Описание продукта	Упаковка (цена/шт.)	Размеры (длина x ширина x высота)	Объем	Вес брутто
4052899988729	LUXeye Sense CM KIT	Shipping carton box 24	300 mm x 200 mm x 200 mm	12.00 дм³	1395.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Примечание

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.