

Техническое описание продукта HQL LED PRO 2900 W/840 E27

HQL LED PRO | LED replacement for HID lamps for outdoor application



 Streets Area lighting Pedestrian zones Parks Outdoor applications only in suitable luminaires

- Saves up to 78 % energy when used as replacement for mercury vapor lamps (HQL) Low maintenance costs thanks to long lifetime Instant 100 % light, no warm-up time





Техническое описание продукта

Technical data

Электрические параметры

ZLDV_Operating frequency [AGGR]	50/60 Hz
ZLDV_Nominal current [AGGR]	135 mA
ZLDV_Claimed equiv. conventional lamp power [AGGR]	80 W


Фотометрические данные

ZLDV_Light color (designation) [AGGR]	Cool White	
ZLDV_Luminous flux [AGGR]	4000 lm	

Светотехнические параметры

ZLDV_Beam angle [AGGR]	360 °

Размеры и вес





ZLDV_Overall length [AGGR]	172.00 mm
ZLDV_Product weight [AGGR]	380.00 g

Температуры и условия управления

ZLDV_Ambient temperature range [AGGR] -20+	+60 °C
--	--------

Срок службы

ZLDV_Lumen maintenance at end of service life [AGGR]	0.7
--	-----

Дополнительные данные

ZLDV_Mercury content [AGGR]	0.0 mg	
Утилизация по WEEE	Да	

Сертификаты и Стандарты

Техническое описание продукта

ZLDV_Energy efficiency class [AGGR]	D	
ZLDV_Energy consumption [AGGR]	29.00 kWh/1000h	

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		
Date of Declaration	18-04-2022	
Primary Article Identifier	4058075612457	
Declaration No. in SCIP database	In work	

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Данные для заказа

Product code	Описание продукта	Упаковка (цена/шт .)	Размеры (длина х ширина х высота)	Объем	Вес брутто
4058075612457	HQL LED PRO 2900 W/840 E27	Shipping carton box 6 шт. Folding carton box	335 mm x 230 mm x 245 mm	18.88 дм³	3036.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Примечание

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner of LEDVANCE of LAMPS



OSRAM GmbH Marcel-Breuer-Strasse 6 80807 Munich, Germany